



X-10 DIAMOND DRILL

A robust, reliable, and highly versatile surface drill, created to perform and integrate seamlessly into fly, shack, and track platforms. Navigate diverse terrain exploration by adapting a single drill on each job.

KEY FEATURES:

- Air-cooled hydraulics system
- 24" mast dump
- Full guarding package
- Removable skids
- Tier 4 Cummins Turbo Diesel 180 Horsepower 4 cylinder
- Levelwind winch
- Available with three proprietary platform options

SPECIFICATIONS

ENGINE	Tier 4 Cummins Turbo Diesel 180 Horsepower 4-cylinder
HYDRAULIC SYSTEM	Air-cooled hydraulics system Hydraulic pilot controls Splitter box pump drive system Rexroth and Kawasaki triple pump design Synchronized head and foot clamp with options to isolate functions
FEED FRAME	UHMW slide saddle 24" mast dump Proprietary feed frame design internally reinforced 45,000 lbs pull back double ram 45 to 90 degree operational angle
WIRELINE ASSEMBLIES	Level wind winch 1,500m 3/16" wireline capacity Rotzler swivel rod hoist
HEAD & FOOT CLAMP	P or H heads available P foot clamp
GUARDING	Full guarding package available for all applications Interlock switch for safe drilling operation

FEATURES



Engineered feed frame




24" mast dump sub frame



Levelwind winch



Aluminum components




Pump drive



Engine options

One Drill / Three Platforms



OPTIONS

- X-Spec P Head W. Funk Trans and P Rod Clamp "Christensen"
- AVD P Head W. Funk Trans & P Rod Clamp "Boyles"
- Mirow B-20 "H" Head with P Rod Clamp "Boyles"
- Level Wind Winch with Guards
- Rod Hoist Winch

